



AHELP for CIAO 3.4

bye

Context: [sherpa](#)

Jump to: [Example Bugs See Also](#)

Synopsis

Terminates the Sherpa program. Other equivalent termination commands are EXIT and QUIT.

Syntax

```
sherpa> {BYE | EXIT | QUIT}
```

Example

Terminate the Sherpa program:

```
sherpa> BYE
Goodbye.
```

Bugs

See the [Sherpa bug pages](#) online for an up-to-date listing of known bugs.

See Also

chandra

[guide](#)

sherpa

[calc](#), [kcorr](#), [dataspace](#), [dcounts](#), [dollarsign](#), [echo](#), [eflux](#), [eqwidth](#), [erase](#), [flux](#), [get](#), [get_dcounts](#), [sum](#), [get_dir](#), [get_eflux](#), [get_eqwidth](#), [get_filename](#), [get_flux2d](#), [get_flux_str](#), [get_lfactorial](#), [get_mcounts](#), [sum](#), [get_pflux](#), [get_source](#), [components](#), [get_verbose](#), [groupbycounts](#), [guess](#), [is](#), [journal](#), [list](#), [list_par](#), [mcounts](#), [numbersign](#), [paramest](#), [plot_eprof](#), [plot_rprof](#), [prompt](#), [reset](#), [run](#), [set](#), [set_analysis](#), [set_axes](#), [set_coord](#), [set_dataspace](#), [set_dir](#), [set_verbose](#), [setplot](#), [sherpa-module](#), [sherpa_plotfns](#), [sherpa_utils](#), [show](#), [simspec](#), [use](#), [version](#)

Ahelp: bye – CIAO 3.4

60 Garden Street, Cambridge, MA 02138 USA.
Smithsonian Institution, Copyright © 1998–2006. All rights reserved.

Last modified: December 2006