

URL: http://cxc.harvard.edu/ciao3.4/location.html
Last modified: December 2006

AHELP for CIAO 3.4 Context: chips

Jump to: Description Example Bugs See Also

Synopsis

Specifies the location for an existing drawing area.

Syntax

```
chips> LOCATION <x1> <x2> <y1> <y2> chips> [D #] LOCATION <x1> <x2> <y1> <y2>
```

Description

```
Argument: D #
Description: drawing area number designation
Options: integer numbers
Default: current drawing area
```

See the D command for more information about this argument.

```
Argument: <x1>
Description: X coordinate of lower left corner
Options: real numbers between 0.0 and 1.0
Default: 0.15
Argument: <x2>
Description: X coordinate of upper right corner
Options: real numbers between 0.0 and 1.0
Default: 0.9
Argument: <y1>
Description: Y coordinate of lower left corner
Options: real numbers between 0.0 and 1.0
Default: 0.1
Argument: <y2>
Description: Y coordinate of upper right corner
Options: real numbers between 0.0 and 1.0
Default: 0.9
```

The origin -(0,0) – is at the lower left corner.

CIAO allows some plot attributes to be changed using the ChIPS state object and resource file. See "ahelp chips"

location 1

for further details.

Example

chips> D 1 CURVE data/example.dat
chips> LOCATION 0.25 0.9 0.5 0.9

A curve is plotted, then the drawing area location is modified.

Bugs

See the <u>bugs page for ChIPS</u> on the CIAO website for an up-to-date listing of known bugs.

See Also

chips

axes, drawarea, errs, font, grids, label, levels, limits, line, linear, log, relativesize, split, symbol, ticks, tickvals, title, xlabel, ylabel, zlabel

The Chandra X–Ray Center (CXC) is operated for NASA by the Smithsonian Astrophysical Observatory. 60 Garden Street, Cambridge, MA 02138 USA. Smithsonian Institution, Copyright © 1998–2006. All rights reserved.

URL: http://cxc.harvard.edu/ciao3.4/location.html
Last modified: December 2006

2 Example