



---

AHELP for CIAO 3.4

## pix\_set\_detector

Context: [pixlib](#)

*Jump to:* [Description](#) [Example](#) [Bugs](#) [See Also](#)

---

### Synopsis

Set the detector to use in the pixlib routines.

### Syntax

```
pix_set_detector( String_Type inst )
```

### Description

Set the detector, overriding the previous setting; allowed values are "ACIS", "HRC-I", and "HRC-S"

### Example

```
pix_set_detector("HRC-S");
```

### Bugs

See the [bugs page for the pixlib library](#) on the CIAO website for an up-to-date listing of known bugs.

### See Also

*modules*

[pixlib](#)

*pixlib*

[pix disp config](#), [pix set aimpoint](#), [pix set fpsys](#), [pix set gdpsys](#), [pix set grating](#), [pix set gzo](#),  
[pix set simoffset](#), [pix set tdetsys](#)

---

## Ahelp: pix\_set\_detector – CIAO 3.4

The Chandra X-Ray Center (CXC) is operated for NASA by the Smithsonian Astrophysical Observatory.  
60 Garden Street, Cambridge, MA 02138 USA.  
Smithsonian Institution, Copyright © 1998–2006. All rights reserved.

URL:  
[http://cxc.harvard.edu/ciao3.4/pix\\_set\\_detector.html](http://cxc.harvard.edu/ciao3.4/pix_set_detector.html)  
Last modified: December 2006