

*AHELP for CIAO 3.4*

set_ignore

Context: [sherpa](#)*Jump to:* [Description](#) [Examples](#) [Bugs](#) [See Also](#)

Synopsis

Module functions for ignoring source and background filter ranges in 1-D datasets.

Syntax

```
Integer_Type set_ignore([Integer_Type],Float_Type,Float_Type)
Integer_Type set_signore([Integer_Type],Float_Type,Float_Type)
Integer_Type set_bignore([Integer_Type],Float_Type,Float_Type)

Success/Error Return Values: 1/0

Arguments:

(1) Dataset number (default 1)

(2) The lower bound for the ignore range (default no lower bound)

(3) The upper bound for the ignore range (default no upper bound)
```

Description

The commands `set_ignore`, `set_signore`, and `set_bignore` allow the user to specify data ranges to ignore in both source and background datasets, a source dataset, or a background dataset respectively. These functions may only be applied to 1-D data. Use `set_ignore2d` to set exclude regions in images.

Note that these functions work in the space given by the current ANALYSIS setting, e.g., if the setting is ENERGY, then the defined bounds are assumed to be in energy units. Note that in CIAO 3.1 `set_ignore` will work only if instrument models for both source and background are set.

See the related Sherpa commands NOTICE and IGNORE for more information.

Example 1

Read in a PHA file with instrument; ignore the lowest-energy channels:

```
sherpa> () = load_dataset(1, "example.pha")
sherpa> set_ignore(1,,0.3)
1
sherpa> ANALYSIS
```

```
Analysis Space for Dataset 1: Energy
```

In this example, all data below 0.3 keV are ignored in dataset 1.

Example 2

Continue Example 1, ignoring all data between 6 and 12 Angstroms:

```
sherpa> ANALYSIS WAVE
sherpa> set_ignore(,6,12)
1
```

Example 3

Continue Example 2, now ignoring all source data above 9 keV:

```
sherpa> ANALYSIS ENERGY
sherpa> set_signore(1,9, )
1
```

The corresponding background data above 9 keV are still noticed.

Bugs

See the [Sherpa bug pages](#) online for an up-to-date listing of known bugs.

See Also

sherpa

[analysis](#), [get groups](#), [ignore](#), [notice](#), [set filter](#), [set groups](#), [set ignore2d](#), [set ignore all](#),
[set ignore bad](#), [set notice](#), [set notice2d](#), [set notice all](#)

The Chandra X-Ray Center (CXC) is operated for NASA by the Smithsonian
Astrophysical Observatory.
60 Garden Street, Cambridge, MA 02138 USA.
Smithsonian Institution, Copyright © 1998–2006. All rights reserved.

URL:

http://cxc.harvard.edu/ciao3.4/set_ignore.html

Last modified: December 2006