


Identifying the Remnants of Neutron Star Mergers




Wen-fai Fong
University of Arizona


**What's left after two
neutron stars merge?**




What's left after two neutron stars merge?




What's left after two neutron stars merge?



What's left after two neutron stars merge?




What's left after two neutron stars merge?




How long is this stage?


Long-lived magnetars in short GRBs: Extended emission




Long-lived magnetars in short GRBs: Extended emission





Long-lived magnetars in short GRBs: X-ray plateaus





Long-lived magnetars in short GRBs: X-ray plateaus





Long-lived magnetars in short GRBs: X-ray plateaus



Long-lived magnetars in short GRBs: X-ray plateaus



Long-lived magnetars in short GRBs: X-ray plateaus



Magnetar spin-down energy powers a radio transient?




Magnetar spin-down energy powers a radio transient?



Energy $\sim 10^{52}$ erg

Magnetar spin-down energy powers a radio transient?




Energy $\sim 10^{52}$ erg

Deceleration time $\propto E, n, v$


Model light curves for varying densities

$E \sim 10^{52}$
 $v = 0.8c$




Model light curves for varying densities

$E \sim 10^{52}$
 $v = 0.8c$




Model light curves: Density is a key parameter

$E \sim 10^{52}$
 $v = 0.8c$




Model light curves: Density is a key parameter

$E \sim 10^{52}$
 $v = 0.8c$



$t_{\text{dec}} \sim \text{years}$

Existing radio observations of short GRBs are too early




Radio observations as a test of the magnetar model


9 events with previous “signature” of a magnetar

Radio observations as a test of the magnetar model


9 events with previous “signature” of a magnetar




What constraints can the upper limits place on the magnetar model?




What constraints can the upper limits place on the magnetar model?




What constraints can the upper limits place on the magnetar model?




What constraints can the upper limits place on the magnetar model?




What constraints can the upper limits place on the magnetar model?




What constraints can the upper limits place on the magnetar model?




What constraints can the upper limits place on the magnetar model?












What constraints can the upper limits place on the magnetar model?




What constraints can the upper limits place on the magnetar model?







What constraints can the upper limits place on the magnetar model?




What constraints can the upper limits place on the magnetar model?



What constraints can the upper limits place on the magnetar model?



Summary & Future Directions



- + *Ruled out long-lived magnetars for densities greater than $0.01-0.1 \text{ cm}^{-3}$*
- + *Explore additional parameters (energy, velocity)*
- + *Consider future observations*