



 AHELP for CIAO 3.4

drawarea

Context: [chips](#)

Jump to: [Description](#) [Example](#) [Bugs](#) [See Also](#)

Synopsis

Specifies the location for a new drawing area.

Syntax

```
chips> DRAWAREA <x1> <x2> <y1> <y2>
```

Description

```
Argument: <x1>
Description: X coordinate of lower left corner
Options: real numbers between 0.0 and 1.0
```

```
Argument: <x2>
Description: X coordinate of upper right corner
Options: real numbers between 0.0 and 1.0
```

```
Argument: <y1>
Description: Y coordinate of lower left corner
Options: real numbers between 0.0 and 1.0
```

```
Argument: <y2>
Description: Y coordinate of upper right corner
Options: real numbers between 0.0 and 1.0
```

Example

```
chips> DRAWAREA 0.25 0.9 0.5 0.9
chips> D 1 CURVE data/example.dat
```

The drawing area location is set and then a curve is plotted.

Bugs

See the [bugs page for ChIPS](#) on the CIAO website for an up-to-date listing of known bugs.

See Also

chips

[axes](#), [errs](#), [font](#), [grids](#), [label](#), [levels](#), [limits](#), [line](#), [linear](#), [location](#), [log](#), [relativesize](#), [split](#), [symbol](#), [ticks](#),
[tickvals](#), [title](#), [xlabel](#), [ylabel](#), [zlabel](#)

The Chandra X-Ray Center (CXC) is operated for NASA by the Smithsonian Astrophysical Observatory.
60 Garden Street, Cambridge, MA 02138 USA.
Smithsonian Institution, Copyright © 1998–2006. All rights reserved.

URL:
<http://cxc.harvard.edu/ciao3.4/drawarea.html>
Last modified: December 2006