




---

 AHELP for CIAO 3.4

## stk\_change\_num

Context: [stackio](#)

*Jump to:* [Description](#) [Bugs](#) [See Also](#)

---

### Synopsis

Change the given element of a stack.

### Syntax

```
Integer_Type stk_change_num( Stack_Type stack, String_Type newvalue,
Integer_Type N )
```

### Description

This function changes entry number N in the stack to the value given in the string newvalue. This string is simply replaced into the stack, and is not interpreted as a stack file, even if an @ sign is included. To merge two stacks, use the `stk_append()` function. If successful, this routine returns 0, and non-zero indicates failure.

### Bugs

See the [bugs page for the stackio library](#) on the CIAO website for an up-to-date listing of known bugs.

### See Also

*modules*

[stackio](#)

*stackio*

[stk\\_append](#), [stk\\_build](#), [stk\\_change\\_current](#), [stk\\_close](#), [stk\\_count](#), [stk\\_current](#), [stk\\_delete\\_current](#),  
[stk\\_delete\\_num](#), [stk\\_disp](#), [stk\\_expand\\_n](#), [stk\\_read\\_next](#), [stk\\_read\\_num](#), [stk\\_rewind](#), [stk\\_set\\_current](#)

---

Ahelp: stk\_change\_num – CIAO 3.4